


Replaces Toro Z Master Professional 5000 Parts

Zero Turn Mower with 60in deck - Model 74933 Caster Wheel







Replaces Toro Z Master Professional 5000 Parts



Zero Turn Mower with 60in deck - Model 74933 Caster Wheel

R&R Part No.	OEM Part No.	Description	Qty Req	Orde Quantity
s				
TIRES		Click Here to View Complete Tire Selection	0	
R109-9127	109-9124, 109-9125, 109-9127	Tire & Wheel - 13x6.50-6 Flat Free	2	
R127-9528	127-9528	Tire & Wheel - 13x6:50-6 Smooth Semi Pneumatic	2	
nal Michelin Tweel	Tires			
RTMT73818	109-9127, 126-7592, 126-7753, 127-9526, 127-9528, 127-9540, 139-3604, 140-4896	Michelin X Tweel Turf Caster Grooved - 13x6.5N6 (5/8in Mount) 290 lb Max Load	2	
radius mowers, and which helps ensure dampen the ride for	completely eliminate the the mower deck produces enhanced operator comf	risk of flat tires. They have a consistent hub h an even cut, while the poly-resin spokes help fort, even when navigating over curbs and oth	eight	
RTMT41011	109-9127, 126-7592, 126-7753, 127-9526, 127-9528, 127-9540, 139-3604, 139-3639, 140-4896	Michelin X Tweel Turf Caster Smooth - 13x6.5N6 (5/8in Mount) 290 lb Max Load	2	
	Part No. FIRES FIRES R109-9127 R127-9528 al Michelin Tweel Attraction The second	Part No. Part No. FIRES 109-9124, 109-9125, 109-9127 R109-9127 109-9125, 109-9127 R127-9528 127-9528 ad Michelin Tweel Tires 109-9127, 126-753, 127-9526, 127-9526, 127-9528, 127-9528, 127-9540, 139-3604, 140-4896 Detail Description: Michelin X Tweel Turf caster adius mowers, and completely eliminate the which helps ensure the mower deck producess dampen the ride for enhanced operator comf bumps. They are designed to provide a long w 109-9127, 126-7753, 127-9526, 127-9526, 127-9528, 127-9526, 126-7753, 127-9526, 127-9528, 127-9526, 127-9528, 127-9526, 127-9540, 139-3604, 139-3604, 139-3639,	Part No.Part No.DescriptionSClick Here to View Complete Tire SelectionTIRES109-9124, 109-9125, 109-9127Tire & Wheel - 13x6.50-6 Flat FreeR109-9127127-9528Tire & Wheel - 13x6:50-6 Smooth Semi Pneumatical Michelin Tweel Tires109-9127, 126-7592, 126-7592, 126-7592, 126-7592, 126-7592, 126-7592, 126-7592, 126-7592, 127-9526, 127-9526, 127-9528, 127-9528, Michelin X Tweel Turf Caster Grooved - 13x6.5N6 (5/8in Mount) 290 lb Max Load 139-3604, 140-4896Detail Description: Michelin X Tweel Turf casters replace the existing front casters on zero to tadius mowers, and completely eliminate the risk of flat tires. They have a consistent hub h which helps ensure the mower deck produces an even cut, while the poly-resin spokes help dampen the ride for enhanced operator comfort, even when navigating over curbs and oth humps. They are designed to provide a long wear life.:109-9127, 126-7592, 126-7592, 126-7593, 127-9526, 127-9526, 127-9528, 127-9528, 127-9528, 139-3604, 139-3604, 139-3639,	Part No.Part No.DescriptionReqSClick Here to View Complete Tire Selection0R109-9127109-9124, 109-9125, 109-9127Tire & Wheel - 13x6.50-6 Flat Free2R109-9127109-9127, 109-9127Tire & Wheel - 13x6:50-6 Smooth Semi Pneumatic2R127-9528127-9528Tire & Wheel - 13x6:50-6 Smooth Semi Pneumatic2al Michelin Tweel Tires109-9127, 126-7592, 126-753, 127-9528, 127-9528, 127-9528, 127-9528, 127-9528, 127-9528, 127-9528, 127-9528, 127-9528, Mount) 290 Ib Max Load2Detail Description: Michelin X Tweel Turf casters replace the existing front casters on zero turn adus mowers, and completely eliminate the risk of flat tires. They have a consistent hub height which helps ensure the mower deck produces an even cut, while the poly-resin spokes help hampen the ride for enhanced operator comfort, even when navigating over curbs and other pumps. They are designed to provide a long wear life.:109-9127, 126-7592, 126-753, 127-9526, Smooth - 13x6.5N6 (5/8in Mount) 290 Ib Max Load2RTMT41011127-9528, 139-3604, 139-3639,Smooth - 13x6.5N6 (5/8in Mount) 290 Ib Max Load2

which helps ensure the mower deck produces an even cut, while the poly-resin spokes help dampen the ride for enhanced operator comfort, even when navigating over curbs and other bumps. They are designed to provide a long wear life.:

Qty Description Req Michelin Spacer - 1/2in ID x 1in OD 4	
7-01, Fork - Caster 7.875 in Inside 2	
Tapered Bearing Cone 4	
0120, 0140, 8, Cup - Bearing 4	
8 Washer - Spring Disc 6	
Nut - Nylon Lock 3/4-10 Gr 8 2	
2 Grease Cap - Castor 2	
Bolt - Hx HD 1/2-13 x 9 1/2 2	
1 Spacer - Nut - Hardened 4	
8 Guard - Seal 4	
3 Seal - Grease 4	
	8 Tapered Bearing Cone 4 9, 7, Tapered Bearing Cone 4 9, 0050, 0120, 0140, 8, Cup - Bearing 4 9, 8 Washer - Spring Disc 6 7 Nut - Nylon Lock 3/4-10 Gr 8 2 1 Grease Cap - Castor 2 1 Spacer - Nut - Hardened 4 8 Guard - Seal 4

Replaces Toro Z Master Professional

5000 Parts



Replaces Toro Z Master Professional 5000 Parts



Zero Turn Mower with 60in deck - Model 74933 Caster Wheel

	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity
80	R254-78	01-102-0060, 01-102-0130, 1-633585, 254-78, 32-7790, 32-9580, 93-4813	Tapered Bearing Cone	4	
81	R126-5361	126-5361	Axle Assy - with Bushing - Caster	2	
82	R103-5156	103-5156	Axle- Caster	2	
83	RF5003	32127-29, 32131-5, 32132-5, 3296-23	Locknut - ESNA 1/2-13	2	